Ref =	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L3	2	(load near4 balanc$3 and address near1 table$1 with (mov$4 shift$3 add$3) near3 address$2).clm.	US-PGPUB; USPAT	OR	OFF	2005/11/23 13:46
L4	15	(load near4 balanc$3 and address near1 table$1).clm.	US-PGPUB; USPAT	OR	OFF	2005/11/23 13:46

Ref =	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S2	3	address near2 table$1 same S1	US-PGPUB; USPAT	OR	OFF	2005/11/17 08:53
S5	3	load near4 balanc$3 with (segment$1) same address near2 table$1	US-PGPUB; USPAT	OR	OFF	2005/11/17 08:54
S6	16	load near4 balanc$3 with (segment$1) and address near2 table$1 not S3	US-PGPUB; USPAT	OR	OFF	2005/11/17 08:54
S7	78	load near4 balanc$3 with (segment$1) and (plurality multiple) near5 segment$1	US-PGPUB; USPAT	OR	OFF	2005/11/17 08:56
S10	73	load near4 balanc$3 with (switch$3) and (plurality multiple) near5 segment$1 and address$3	US-PGPUB; USPAT	OR	OFF	2005/11/17 08:58
S8	51	load near4 balanc$3 with (segment$1) and (plurality multiple) near5 segment$1 and address$3	US-PGPUB; USPAT	OR	OFF	2005/11/17 08:58
S15	2	compex and address near4 table$1	US-PGPUB; USPAT	OR	OFF	2005/11/17 09:02
S17	1	compex and updat$3 near5 table$1	US-PGPUB; USPAT	OR	OFF	2005/11/17 09:03
S14	2	compex and switch$3 and load near4 balanc$3	US-PGPUB; USPAT	OR	OFF	2005/11/17 09:03
S11	18	load near4 balanc$3 with (switch$3) and (plurality multiple) near5 segment$1 and address$3 near2 table$1	US-PGPUB; USPAT	OR	OFF	2005/11/17 09:09
S18	96	load near4 balanc$3 with (switch$3 segment$1) and (updat$3 address$3) near2 table$1 same (switch$2)	US-PGPUB; USPAT	OR	OFF	2005/11/17 09:16
S19	59	load near4 balanc$3 with (switch$3 segment$1) and (address$3) near6 table$1 and (segment$1) with (switch$2)	US-PGPUB; USPAT	OR	OFF	2005/11/17 09:59
S22	6	load near4 balanc$3 with (switch$3) and (address$3 updat$3 add$3) near6 table$1 and (segment$1) with (switch$2) not S19	US-PGPUB; USPAT·	OR	OFF	2005/11/17 10:00
S23	54	load near4 balanc$3 with (switch$3) and (address$3) with table$1 and (segment$1) with (switch$2) not S19	US-PGPUB; USPAT	OR	OFF	2005/11/17 10:01
S27	7	load near4 balanc$3 with (relay$3) and (address$3) with table$1 and (segment$1) not S19 not S23 not S24	US-PGPUB; USPAT	OR	OFF	2005/11/17 10:14
S29	75	load near4 balanc$3 same (segment$2 switch$3) and (address$3) near6 (mov$5 transfer$5 shift$3) same (table$1 switch$3) and (segment$1)	US-PGPUB; USPAT	OR	OFF	2005/11/17 10:20
S30	39	load near4 balanc$3 same (segment$2 switch$3) and (address$3) near6 (mov$5 transfer$5 shift$3) same (table$1 switch$3) and (segment$1) not S19 not S23 not S24	US-PGPUB; USPAT	OR	OFF	2005/11/17 10:23

S33	26	load near4 balanc$3 same (address$3) near6 (mov$5 transfer$5 shift$3) same (table$1 switch$3) not S19 not S23 not S24	US-PGPUB; USPAT	OR	OFF	2005/11/17 10:37
S34	110	load near4 balanc$3 and (switch$3) with (processor$1) and address near1 table$1 not S19 not S23 not S24	US-PGPUB; USPAT	OR	OFF	2005/11/17 10:38
S35	42	load near4 balanc$3 and (switch$3) with (processor$1) and address near1 tables not S19 not S23 not S24	US-PGPUB; USPAT	OR	OFF	2005/11/17 10:43
S41	6	load near4 balanc$3 with routers and address near1 table$1 and segment$1 not S19 not S23 not S24	US-PGPUB; USPAT	OR	OFF	2005/11/17 10:45
S42	16	load near4 balanc$3 with router$1 and address near1 table$1 and segment$1 not S19 not S23 not S24	US-PGPUB; USPAT	OR	OFF	2005/11/17 10:46
S1	88	load near4 balanc$3 with (segments)	US-PGPUB; USPAT	OR	OFF	2005/11/23 13:33
S44	11	load near4 balanc$3 with apparatus$2 and address near1 table$1 and segment$1 not S19 not S23 not S24	US-PGPUB; USPAT	OR	OFF	2005/11/23 13:43
L2	10	load near4 balanc$3 and address near1 table$1 with (mov$4 shift$3 add$3) near3 address$2 and (709/226.ccls. 709/224.ccls. 709/225.ccls. 709/229.ccls.)	US-PGPUB; USPAT	OR	OFF	2005/11/23 13:45
L4	15	(load near4 balanc$3 and address near1 table$1).clm.	US-PGPUB; USPAT	OR	OFF	2005/11/23 13:46
L3	2	(load near4 balanc$3 and address near1 table$1 with (mov$4 shift$3 add$3) near3 address$2).clm.	US-PGPUB; USPAT	OR	OFF	2005/11/23 13:46